

Safety Data Sheet

Product: POWER CLENZ

SDS No: 19-0325-01 Ver 2

SECTION 1 GENERAL INFORMATION

Systems And Methods International LLC
1313 Queen Anne Road NW
WILSON, NC 27896-1443

Telephone: 252-205-7254
In case of emergency call chemtrec: 1-800-424-9300
Outside of U.S.A.: 001-703-527-3887
Date: 03/25/2019

SECTION 2 HAZARD(S) IDENTIFICATION

GHS - Classification

Eye Damage/Irritation (Category 2B)

Signal Word:



Warning

Hazard Statement(s)

H303 May be harmful if swallowed
H317 May cause an allergic reaction
H320 Causes eye irritation

Precautionary Statement(s)

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for 15 minutes or more. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical attention
P333 + P313 If skin irritation or rash occurs: Get medical attention.
P363 Wash contaminated clothing before reuse.
P501 Dispose of contents in container in accordance with local/state/federal/international regulations.

SECTION 3 COMPOSITION/ INFORMATION ON INGREDIENTS

HAZARDOUS INGREDIENT

WATER
NON HAZARDOUS EPA COMPLIANT PROPRIETARY BLEND

CAS#

7732-18-5

PERCENTAGE

>90
<10

SPECIFIC CHEMICAL NAME(S) AND CAS NUMBER(S) MAY BE A TRADE SECRET AS ALLOWED BY 29 CFR 1910.1200

SECTION 4 FIRST AID MEASURES

EYES: FLUSH EYES WITH WATER FOR AT LEAST 15 MINUTES. IF IRRITATION OCCURS, GET MEDICAL ATTENTION.
SKIN: WASH EXPOSED AREAS WITH SOAP AND WATER. IF IRRITATION PERSISTS, SEEK MEDICAL ATTENTION.
INGESTION: IF APPRECIABLE AMOUNTS ARE SWALLOWED, SEEK MEDICAL ATTENTION
INHALATION: NO EFFECTS EXPECTED UNDER NORMAL USE.

SECTION 5 FIRE FIGHTING MEASURES

FLASH POINT: >200° C
EXTINGUISHING METHOD: USE WATER SPRAY, CARBON DIOXIDE, DRY CHEMICAL, OR FOAM
SPECIAL FIRE FIGHTING PROCEDURES: USE SELF-CONTAINED BREATHING APPARATUS. WEAR FULL PROTECTIVE CLOTHING.
UNUSUAL FIRE FIGHTING PROCEDURES: NONE KNOWN.

SECTION 6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS: Ensure adequate ventilation. Keep people away from and upwind of spill/leak.
ENVIRONMENTAL PRECAUTIONS: Avoid subsoil penetration. Do not flush into surface water or sanitary sewer system. Advise water authority if spillage has entered water course or drainage system.
METHODS FOR CLEAN UP: Use mechanical handling equipment. Soak up with inert absorbent material(e.g. sand, silica gel, acid binder, universal binder, sawdust)

ND = NOT DETERMINED NA = NOT APPLICABLE

Safety Data Sheet

Product: POWER CLENZ

SDS No: 19-0325-01 Ver 2

SPILL: VENTILATE AREA, PERSONS PERFORMING CLEAN-UP SHOULD WEAR ADEQUATE PROTECTION EQUIPMENT. CONTAIN MATERIAL BY DIKING THE AREA AROUND THE SPILL. IF THE PRODUCT IS IN A SOLID FORM, SHOVEL DIRECTLY INTO RECOVERY DRUMS. IF THE PRODUCT IS A LIQUID, IT SHOULD BE PICKED UP USING A SUITABLE ABSORBANT MATERIAL, THEN SHOVELED TO RECOVERY DRUMS. IF THE MATERIAL IS RELEASED INTO THE ENVIRONMENT, THE USER SHOULD DETERMINE WHETHER THE SPILL SHOULD BE REPORTED TO THE APPROPRIATE LOCAL, STATE AND FEDERAL AUTHORITIES.

SECTION 7 HANDLING AND STORAGE

HANDLING AND STORAGE: MATERIAL SHOULD BE STORED IN ITS OWN CONTAINER AND SHOULD ALWAYS BE KEPT COVERED WHEN NOT IN USE.

SECTION 8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

ROUTES OF EXPOSURE: EYES SKIN INGESTION INHALATION

SYMPTOMS OR ACUTE HEALTH HAZARDS

EYES: MAY CAUSE EYE IRRITATION.

SKIN: MAY CAUSE IRRITATION SIMILAR TO A RASH

INGESTION: MAY BE HARMFUL IF SWALLOWED.

INHALATION MAY CAUSE IRRITATION OF NOSE, THROAT AND UPPER RESPIRATORY TRACT.

RESPIRATORY PROTECTION: NONE NORMALLY NEEDED.

VENTILATION NO SPECIAL REQUIREMENTS.

PROTECTIVE EQUIPMENT: GLOVES FACESHIELD APRON GOGGLES IMPERVIOUS COVERALLS

WORK/ HYGIENIC PRACTICES: AS WITH ALL INDUSTRIAL CHEMICALS, CARE SHOULD BE TAKEN TO AVOID CONTACT WITH EYES, SKIN, AND CLOTHING. HANDS AND UNPROTECTED SKIN SHOULD BE THOROUGHLY WASHED AND CONTAMINATED CLOTHING SHOULD BE CHANGED PRIOR TO ANY DIRECT PERSONAL CONTACT. ALL EXPOSED CLOTHING SHOULD BE LAUNDERED PER NORMAL CARE INSTRUCTIONS BEFORE REUSE

EXPOSURE LIMITS

LIMITS

WATER

NON HAZARDOUS EPA COMPLIANT PROPRIETARY BLEND

SECTION 9 PHYSICAL AND CHEMICAL PROPERTIES

PH:	9.5 - 11.5	AS IS	Evaporation Rate:	N/A
SOLUBILITY:	SOLUBLE		Vapor Pressure:	N/D
SPECIFIC GRAVITY:	1.010 - 1.025		Vapor Density:	N/D
APPEARANCE:	COLORLESS TO LT AMBER		Auto Ignition Temperature:	N/D
Bod:	NO DATA		LEL:	N/A
Cod:	NO DATA		UEL:	N/A
Odor:	SLIGHT CITRUS		VOC:	N/D
OdorThreshold:			FlashPoint:	>200° C
MeltingPoint:	-1° C			
BoilingPoint:	101° C			

SECTION 10 STABILITY AND REACTIVITY

STABILITY: STABLE

HAZARDOUS POLYMERIZATION: WILL NOT OCCUR

DECOMPOSITION PRODUCTS: NOT ESTABLISHED

CONDITIONS AND MATERIALS TO AVOID: STRONG OXIDIZING AGENTS

SECTION 11 TOXICOLOGICAL INFORMATION

ACUTE TOXICITY: ORAL >31,000 LD50 ORAL MG/KG

Chronic Toxicity: NO DATA

Carcinogenicity: NO INGREDIENTS ARE KNOWN OR SUSPECTED CARCINOGENS

Target Organ Effects: NONE EXPECTED

ND = NOT DETERMINED NA = NOT APPLICABLE

Safety Data Sheet

Product: POWER CLENZ

SDS No: 19-0325-01 Ver 2

This product has not yet been tested. The information is derived from the properties of the individual components.

SECTION 12 ECOLOGICAL INFORMATION

Ecotoxicity: Low, based on toxicology profile
Persistence Degradability: Readily Biodegradable
Bioaccumulation: 0
Mobility: NO DATA

This product has not yet been tested. The information is derived from the properties of the individual components.

SECTION 13 DISPOSAL CONSIDERATIONS

Disposal of this product should be made in accordance with federal state and local regulations.

SECTION 14 TRANSPORT INFORMATION

TRANSPORTATION: NOT REGULATED BY DOT & IATA

SECTION 15 REGULATORY DATA

SARA Title III

SARA 312: No reportable components

SARA 313: No reportable components

TSCA

Complies with United States Toxic Substances Control Act Section 8(b) Inventory

CERCLA

This material, as supplied, does not contain any substances regulated as hazardous substances under the Comprehensive Environmental Response Compensation and Liability Act (CERCLA) (40 CFR 302) or the Superfund Amendments and Reauthorization Act (SARA) (40 CFR 355). There may be specific reporting requirements at the local, regional, or state level pertaining to releases of this material.

CALIFORNIA PROPOSITION 65 CONTAINS NO MATERIALS KNOWN TO BE ON THE CALIFORNIA PROPOSITION 65 LIST.

SECTION 16 OTHER INFORMATION

Large Spill: NA

Fire: NA

DISCLAIMER

THE INFORMATION GIVEN HEREIN IS BELIEVED TO BE ACCURATE BUT IS NOT WARRANTED TO BE WHETHER ORIGINATING WITH THIS COMPANY OR NOT. THE INFORMATION IS OFFERED SOLELY FOR YOUR CONSIDERATION. RECIPIENTS ARE ADVISED TO CONFIRM IN ADVANCE OF NEED THAT THE INFORMATION IS CURRENT AND SUITABLE FOR THEIR NEEDS.

End of SDS